



## TITTLE 24, JULY 1<sup>ST</sup> 2014



As of July 1<sup>st</sup>, 2014, your options to meet Tittle 24 are as follows. Only one of the options are required

1. Home has no ducts in the attic. or
2. R-38 insulation in the attic. or
3. Install a Cool Roof Rated Shingle. or
4. Install a roofing product that has a profile ratio of rise to width of 1 to 5 for a 50% or greater of the width of the roofing product. (Install a tile roof). or
5. Create an air space of 1" inch between the underside of the roofing product and the top of the deck. (Ventilated nail base). or
6. Existing duck work is insulated and sealed according to section 150, 1(c) 9. (Hire a HVAC contractor). or
7. Radiant barrier in the attic meeting the requirements of section 150.1 (c)
8. Only in climate zones 10-15, R-4 or greater insulation above the roof deck. (have to install OSB or plywood over insulation).or

As you probably noticed, **1/150 ventilation is no longer an option to meet the code requirement.** Remember, per manufacture installation instructions ARMA (Asphalt Roofing Manufacture Association) you must still ventilate, but it will no longer be an option for a contractor to meet Title 24 requirements for California. Reply back or call me if you have any specific questions about the new Title 24 code.

Thank you and have a great day.  
Chuck Gallinat  
Area Sales Manager  
Owens Corning  
619-885-3050

California Title 24 Hot line 1-800-772-3300  
ZONE MAP - [WWW.ENERGY.CA.GOV](http://WWW.ENERGY.CA.GOV) - UPLOAD GOGGLE EARTH ENERGY MAP - LOAD .KMZ link